

## Author Index

- Afshari, J.T.  
— and Liu, T.-Z.  
Rapid spectrophotometric method for the quantitation of acetaminophen in serum 165
- Avramescu, A.  
—, Noguer, T., Magearu, V. and Marty, J.-L.  
Erratum to "Chronoamperometric determination of D-lactate using screen-printed enzyme electrodes" [Anal. Chim. Acta 433 (2001) 81–88] 283
- Battaglini, F., see Lapierre, A.V. 17
- Benzi, M., see González-Toledo, E. 183
- Bitter, I., see Kunsági-Máté, S. 227
- Bocchi, N., see Teixeira, M.F.S. 249
- Catalá Icardo, M.  
—, García Mateo, J.V. and Martínez Calatayud, J.  
Selective chlorine determination by gas diffusion in a tandem flow assembly and spectrophotometric detection with *o*-dianisidine 153
- Cesar Ugulino Araujo, M., see Kawakami Harrop Galvão, R. 107
- Cheng, J.-K., see Liu, E.-B. 101
- Cho, S.-R., see Choi, J.-Y. 241
- Choi, J.-Y.  
—, Seo, K., Cho, S.-R., Oh, J.-R., Kahng, S.-H. and Park, J.  
Screen-printed anodic stripping voltammetric sensor containing HgO for heavy metal analysis 241
- Clark, C.D., see Zanardi-Lamardo, E. 171
- Compañó, R., see González-Toledo, E. 183
- Cosnier, S., see Mousty, C. 1
- Du, M.  
— and Huie, C.W.  
Sensitive and selective determination of aluminium by peroxoxalate chemiluminescence detection of the lumogallion complex 269
- Escuder-Gilabert, L., see Martín-Biosca, Y. 191
- Fatibello-Filho, O., see Teixeira, M.F.S. 249
- Feng, P., see Huang, C.Z. 73
- Fernanda Pimentel, M., see Kawakami Harrop Galvão, R. 107
- Gao, H., see Zhang, X. 117
- Gao, X.-F.  
—, Li, Y.-S. and Karube, I.  
Flow injection spectrophotometric determination of sulfated bile acids in urine with immobilized enzyme reactors using water soluble tetrazolium blue-5 257
- García Mateo, J.V., see Catalá Icardo, M. 153
- González-Toledo, E.  
—, Benzi, M., Compañó, R., Granados, M. and Prat, M.D.  
Speciation of organotin compounds in shellfish by liquid chromatography — fluorimetric detection 183
- Goto, C., see Ito, T. 41
- Granados, M., see González-Toledo, E. 183
- Grün, A., see Kunsági-Máté, S. 227
- Guo, M.  
—, Zou, H., Wang, H., Kong, L. and Ni, J.  
Binding of metal ions with protein studied by a combined technique of microdialysis with liquid chromatography 91
- Hall, E.A.H., see Heng, L.Y. 25
- Hauser, P.C., see Jacquinet, P. 53
- Heng, L.Y.  
— and Hall, E.A.H.  
Assessing a photocured self-plasticised acrylic membrane recipe for Na<sup>+</sup> and K<sup>+</sup> ion selective electrodes 25
- Hibbert, D. Brynn  
—, Jiang, J. and Mulholland, M.-I.  
Propagation of uncertainty in high-performance liquid chromatography with UV-VIS detection 205
- Hirano, K.  
—, Yamato, H., Kunimoto, K. and Ohwa, M.  
Novel electron transfer mediators based on *p*-phenylenediamine for lactate oxidase 265
- Hodgson, A.W.E., see Jacquinet, P. 53
- Huang, C.Z.  
—, Li, Y.F. and Feng, P.  
Determination of proteins with  $\alpha, \beta, \gamma, \delta$ -tetrakis(4-sulfophenyl)-porphine by measuring the enhanced resonance light scattering at the air/liquid interface 73
- Huie, C.W., see Du, M. 269
- Hulth, S., see Strömberg, N. 215
- Ibrahim, M.S.  
Voltammetric studies of the interaction of nogalamycin anti-tumor drug with DNA 63

- Ito, T.  
—, Goto, C. and Noguchi, K.  
Lanthanoid ion-selective solvent polymeric membrane electrode based on 1-phenyl-3-methyl-4-octadecanoyl-5-pyrazolone 41
- Jacquinet, P.  
—, Hodgson, A.W.E. and Hauser, P.C.  
Amperometric detection of NO and NO<sub>2</sub> in the ppb range with solid-polymer electrolyte membrane supported noble metal electrodes 53
- Jiang, J., see Hibbert, D. Brynn 205
- Kahng, S.-H., see Choi, J.-Y. 241
- Karatani, H., see Okamura, K. 143
- Karube, I., see Gao, X.-F. 257
- Katsu, T., see Xu, D. 235
- Kawakami Harrop Galvão, R.  
—, Fernanda Pimentel, M., Cesar Ugulino Araujo, M., Yoneyama, T. and Visani, V.  
Aspects of the successive projections algorithm for variable selection in multivariate calibration applied to plasma emission spectrometry 107
- Kollár, L., see Kunsági-Máté, S. 227
- Kong, L., see Guo, M. 91
- Kunimoto, K., see Hirano, K. 265
- Kunsági-Máté, S.  
—, Bitter, I., Grün, A., Nagy, G. and Kollár, L.  
Cavity shaped host-guest interaction of distally dialkylated calix[4]arenes with 1-chloro-4-(trifluoromethyl)benzene 227
- Lapierre, A.V.  
—, Battaglini, F. and Raba, J.  
Rotating bioreactor based on an electron transfer mediated by osmium complexes incorporating a continuous-flow/stopped-flow system. Application to the determination of glucose in serum samples 17
- Li, Y.F., see Huang, C.Z. 73
- Li, Y.-S., see Gao, X.-F. 257
- Liu, E.-B.  
—, Liu, Y.-M. and Cheng, J.-K.  
Separation of niobium(V) and tantalum(V) by capillary electrophoresis with chemiluminescence detection 101
- Liu, T.-Z., see Afshari, J.T. 165
- Liu, Y.-M., see Liu, E.-B. 101
- Llauradó, M., see Mellado, J. 81
- Magearu, V., see Avramescu, A. 283
- Marina, M.L., see Martín-Biosca, Y. 191
- Martín-Biosca, Y.  
—, Escuder-Gilabert, L., Marina, M.L., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J.  
Quantitative retention- and migration-toxicity relationships of phenoxy acid herbicides in micellar liquid chromatography and micellar electrokinetic chromatography 191
- Martínez Calatayud, J., see Catalá Icardo, M. 153
- Marty, J.-L., see Avramescu, A. 283
- Maruo, M., see Okamura, K. 143
- Mazúr, M.  
—, Valko, M. and Morris, H.  
Influence of the movement of "over full-length cavity" cylindrical samples along the *x*-axis of a double TE<sub>104</sub> and a single TE<sub>102</sub> rectangular cavity on the electron paramagnetic resonance. An unusual effect analysis 127
- Medina-Hernández, M.J., see Martín-Biosca, Y. 191
- Mellado, J.  
—, Llauradó, M. and Rauret, G.  
Determination of Pu, Am, U, Th and Sr in marine sediment by extraction chromatography 81
- Moraes, F.C., see Teixeira, M.F.S. 249
- Morris, H., see Mazúr, M. 127
- Mousty, C.  
—, Cosnier, S., Shan, D. and Mu, S.  
Trienzymatic biosensor for the determination of inorganic phosphate 1
- Mu, S., see Mousty, C. 1
- Mulholland, M.-I., see Hibbert, D. Brynn 205
- Nagy, G., see Kunsági-Máté, S. 227
- Nakayama, E., see Okamura, K. 143
- Ni, J., see Guo, M. 91
- Noguchi, K., see Ito, T. 41
- Noguer, T., see Avramescu, A. 283
- Obata, H., see Okamura, K. 143
- Oh, J.-R., see Choi, J.-Y. 241
- Ohwa, M., see Hirano, K. 265
- Okamura, K.  
—, Sugiyama, M., Obata, H., Maruo, M., Nakayama, E. and Karatani, H.  
Automated determination of vanadium(IV) and (V) in natural waters based on chelating resin separation and catalytic detection with Bindschedler's green leuco base 143
- Park, J., see Choi, J.-Y. 241
- Prat, M.D., see González-Toledo, E. 183
- Raba, J., see Lapierre, A.V. 17
- Rauret, G., see Mellado, J. 81
- Sagrado, S., see Martín-Biosca, Y. 191
- Seo, K., see Choi, J.-Y. 241
- Shan, D., see Mousty, C. 1
- Šlejkovec, Z.  
—, van Elteren, J.T. and Woroniecka, U.D.  
Underestimation of the total arsenic concentration by hydride generation techniques as a consequence of the incomplete mineralization of arsenobetaine in acid digestion procedures 277
- Strömberg, N.  
— and Hulth, S.  
An ammonium selective fluorosensor based on the principles of coextraction 215
- Sugiyama, M., see Okamura, K. 143

- Teixeira, M.F.S.  
—, Moraes, F.C., Fatibello-Filho, O. and Bocchi, N.  
Voltammetric determination of lithium ions in pharmaceutical formulation using a  $\lambda$ -MnO<sub>2</sub>-modified carbon-paste electrode 249
- Tian, F.  
—, Xu, B., Zhu, L. and Zhu, G.  
Hydrogen peroxide biosensor with enzyme entrapped within electrodeposited polypyrrole based on mediated sol-gel derived composite carbon electrode 9
- Valko, M., see Mazúr, M. 127
- van Elteren, J.T., see Šlejkovec, Z. 277
- Villanueva-Camañas, R.M., see Martín-Biosca, Y. 191
- Visani, V., see Kawakami Harrop Galvão, R. 107
- Wang, H., see Guo, M. 91
- Woroniecka, U.D., see Šlejkovec, Z. 277
- Xu, B., see Tian, F. 9
- Xu, D.  
— and Katsu, T.  
*O,O,O*-trialkyl phosphorothioates as simple and effective ionophores for silver ion-selective membrane electrodes 235
- Yamato, H., see Hirano, K. 265
- Yoneyama, T., see Kawakami Harrop Galvão, R. 107
- Zanardi-Lamardo, E.  
—, Clark, C.D. and Zika, R.G.  
Frit inlet/frit outlet flow field-flow fractionation: methodology for colored dissolved organic material in natural waters 171
- Zhang, X.  
—, Zheng, J. and Gao, H.  
Curve fitting using wavelet transform for resolving simulated overlapped spectra 117
- Zheng, J., see Zhang, X. 117
- Zhu, G., see Tian, F. 9
- Zhu, L., see Tian, F. 9
- Zika, R.G., see Zanardi-Lamardo, E. 171
- Zou, H., see Guo, M. 91

